

MATERIAL SAFETY DATA SHEET

Date Issued: 07/03/2013

MSDS No: 227

Revision No: New MSDS

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT DESCRIPTION: Glacier Knife Grade Part A
PRODUCT CODE: Glacier KG, Part A

24 HR. EMERGENCY TELEPHONE NUMBERS

Chemtrec: 1-800-424-9300

2. HAZARDS IDENTIFICATION**EMERGENCY OVERVIEW**

IMMEDIATE CONCERNS: ***** EMERGENCY OVERVIEW ***** WARNING! May cause eye, skin, and respiratory tract irritation. May cause allergic respiratory reaction. Harmful if inhaled. May cause allergic skin reaction. Closed container may explode under extreme heat or when contaminated with water. Toxic gases/fumes are given off during burning or thermal decomposition

POTENTIAL HEALTH EFFECTS

EYES: Contact may cause eye irritation.

SKIN: May cause skin irritation. Allergic reactions are possible.

INGESTION: Harmful if swallowed.

INHALATION: Inhalation is unlikely due to the low vapor pressure.

MEDICAL CONDITIONS AGGRAVATED: Neurological disorders; asthma; skin disorders and allergies; eye disease.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt. %	CAS	EINECS
Tetrahydroxypropylethylenediamine	Trade secret	102-60-3	
Aliphatic Carboxylic Ester	Trade secret	623-91-6	
Aspartic ester	Trade secret	136210-30-5	
Polydimethylsiloxane, Silica Adduct	Trade secret	067762-90-7	--

4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

SKIN: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Thoroughly wash or discard clothing and shoes before reuse.

INGESTION: If swallowed, do NOT induce vomiting. Give victim a glass of water to drink. Never give anything by mouth to an unconscious person. Get medical attention immediately.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: (212°F)

FLAMMABLE LIMITS: 0 to 0

