Reviewed on 02/16/2011

Printing date 02/16/2011

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: Stone Ink New, green, tan brown, red, gold brown

· Article number: 11510, 11512, 11513, 11515

Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the

preparation Coating compound/ Surface coating/ paint

· Details of the supplier of the safety data sheet

 Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH

Tel. +49(0)911-642960 Lechstrasse 28 Fax. +49(0)911-644456 D 90451 Nürnberg e-mail info@akemi.de

R10-67

 Information department: Laboratory

Dieter Zimmermann

@mail D.Zimmermann@akemi.de

· Emergency telephone number: Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH

Tel. +49(0)911-64296-59

Reachable during the following office hours: Monday - Thursday from 07:30 a.m. to 16:30 p.m.

Friday from 07:30 a.m. to 13:30 p.m.

2 Composition/information on ingredients

Mixture of the substances listed below with nonhazardous additions. · Description:

Dangerous components:

CAS: 107-98-2

EINECS: 203-539-1 🚸 H226; 🕦 H336 Index number: 603-064-00-3

1-methoxy-2-propanol

 Additional information: For the wording of the listed risk phrases refer to section 16.

3 Hazards identification

· Classification of the substance or mixture



GHS02 Flame

H226 Flammable liquid and vapour.



GHS07

H336 May cause drowsiness or dizziness.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Flammable.

· Information concerning particular

hazards for human and

environment: The product has to be labelled due to the calculation procedure of the "General

Classification guideline for preparations of the EU" in the latest valid version. The classification was made according to the latest editions of international

· Classification system:

substances lists, and expanded upon from company and literature data.

· Label elements

· Hazard-determining components

of labelling:

Void

· Labelling according to EU

guidelines:

The product has been classified and marked in accordance with directives on

hazardous materials.

(Contd. on page 2)

50-100%



Printing date 02/16/2011 Reviewed on 02/16/2011

Trade name: Stone Ink New, green, tan brown, red, gold brown

(Contd. of page 1)

Risk phrases: Flammable.

· Safety phrases: Keep out of the reach of children.

Avoid contact with skin.

Do not empty into drains, dispose of this material and its container at hazardous

or special waste collection point

If swallowed, seek medical advice immediately and show this container or label.

· Classification system:

· NFPA ratings (scale 0 - 4)

Health = 0
Fire = 3
Reactivity = 0
HEALTH 0 Health = 0

3

REACTIVITY 0

Fire = 3

Reactivity = 0

· HMIS-ratings (scale 0 - 4)

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.∨PvB: Not applicable.

4 First aid measures

· Description of first aid measures

After inhalation:
 After skin contact:
 Supply fresh air; consult doctor in case of complaints.
 Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

• After swallowing: If symptoms persist consult doctor.

5 Firefighting measures

· Extinguishing media

· Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or

alcohol resistant foam.

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective

equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

• Environmental precautions: Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage

system.

Dilute with plenty of water.

Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders, sawdust).

• **Reference to other sections** See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

• Precautions for safe handling Keep away from heat and direct sunlight.

Store in cool, dry place in tightly closed receptacles.

(Contd. on page 3)



Reviewed on 02/16/2011 Printing date 02/16/2011

Trade name: Stone Ink New, green, tan brown, red, gold brown

(Contd. of page 2)

Information about protection

against explosions and fires: Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· Conditions for safe storage, including any incompatibilities

Storage:

· Requirements to be met by storerooms and receptacles:

 Information about storage in one common storage facility:

Further information about storage

conditions:

Store in a cool location.

Not required.

Keep receptacle tightly sealed.

8 Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

107-98-2 1-methoxy-2-propanol

REL Short-term value: 540 mg/m³, 150 ppm Long-term value: 360 mg/m³, 100 ppm

Short-term value: 553 mg/m³, 150 ppm Long-term value: 369 mg/m³, 100 ppm

 Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

 General protective and hygienic measures:

· Breathing equipment: · Protection of hands:

Wash hands before breaks and at the end of work.

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Not required.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Akemi skin protection agent recommendation for preventive skin shelter without use of protective gloves:

ARRETIL (http://www.stoko.com)

Akemi skin protection agent recommendation for preventive skin shelter in application and combination of protective gloves:

STOKO EMULSION (http://www.stoko.com)

Akemi skin protection recommendation for skin cleaning after product handling:

SOLOPOL (http://www.stoko.com) SLIG SPEZIAL (http://www.stoko.com)

Akemi skin protection agent recommendation for skin aftercare:

STOKO VITAN (http://www.stoko.com)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

The selection of the suitable gloves does not only depend on the material, but · Material of gloves

also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked

(Contd. on page 4)

USA



Printing date 02/16/2011 Reviewed on 02/16/2011

Trade name: Stone Ink New, green, tan brown, red, gold brown

(Contd. of page 3)

· Penetration time of glove material

prior to the application.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

• •	
 Information on basic physical a General Information Appearance: Form:	Fluid According to product specification Characteristic
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 120°C (248°F)
· Flash point:	35°C (95°F)
· Ignition temperature:	270°C (518°F)
· Auto igniting:	Product is not selfigniting.
- Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits: Lower:	2.3 Vol %
· Vapor pressure at 20°C (68°F):	12 hPa (9 mm Hg)
· Density at 20°C (68°F):	1.01 g/cm³ (8.428 lbs/gal)
Solubility in / Miscibility with Water:	Fully miscible.
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.
Solvent content: Organic solvents:	75.8 %
Solids content:	24.2 %

10 Stability and reactivity

· Reactivity

· Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous

reactions

No dangerous reactions known.

· Hazardous decomposition

products:

No dangerous decomposition products known.

(Contd. on page 5)



Reviewed on 02/16/2011 Printing date 02/16/2011

Trade name: Stone Ink New, green, tan brown, red, gold brown

(Contd. of page 4)

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· Primary irritant effect:

· on the skin: No irritant effect. No irritating effect. · on the eye:

· Sensitization: No sensitizing effects known.

12 Ecological information

Toxicity

 Acquatic toxicity: No further relevant information available.

Additional ecological information:

Water hazard class 1 (Self-assessment): slightly hazardous for water · General notes:

· Results of PBT and vPvB assessment

Not applicable. · PBT: · vPvB: Not applicable.

13 Disposal considerations

· Waste treatment methods

· Recommendation: Must not be disposed of together with household garbage. Do not allow product

to reach sewage system.

· Uncleaned packagings:

Disposal must be made according to official regulations. · Recommendation:

· Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· DOT regulations:



· Hazard class: 3

UN1263 · Identification number: Ш

· Packing group:

· Proper shipping name (technical name): PAINT, solution

· Land transport ADR/RID (cross-border):



ADR/RID class: 3 (F1) Flammable liquids

Danger code (Kemler): 30 · UN-Number: 1263 Ш Packaging group:

(Contd. on page 6)



Printing date 02/16/2011 Reviewed on 02/16/2011

Trade name: Stone Ink New, green, tan brown, red, gold brown

(Contd. of page 5)

· <u>UN proper shipping name:</u> 1263 PAINT, solution, special provision 640E

· Maritime transport IMDG:



 · IMDG Class:
 3

 · UN Number:
 1263

 · Label
 3

 · Packaging group:
 III

 · EMS Number:
 F-E,S-E

 · Marine pollutant:
 No

• Propper shipping name: PAINT, solution

· Air transport ICAO-TI and IATA-DGR:



ICAO/IATA Class:
UN/ID Number:
Label
Packaging group:
III

· Propper shipping name: PAINT, solution

· UN "Model Regulation":

UN1263, PAINT, solution, 3, III Warning: Flammable liquids

· Special precautions for user

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

107-98-2 1-methoxy-2-propanol

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 7)



Reviewed on 02/16/2011 Printing date 02/16/2011

Trade name: Stone Ink New, green, tan brown, red, gold brown

(Contd. of page 6)

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Hazard-determining components

of labelling:

· Product related hazard

informations: The product has been classified and marked in accordance with directives on

hazardous materials.

Flammable. · Risk phrases:

· Safety phrases: Keep out of the reach of children.

Void

Avoid contact with skin.

Do not empty into drains, dispose of this material and its container at hazardous

or special waste collection point

If swallowed, seek medical advice immediately and show this container or label.

· National regulations:

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· VOC USA 765.3 g/l / 6.39 lb/gl

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 Department issuing MSDS: Laboratory

· Contact: Dieter Zimmermann

 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European

Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

USA